

Lexmark MS811 and MS812 Series



Star performer. Stellar finish.

The Lexmark MS811 and MS812
Series produce documents that steal the show. With faster print speeds and multiple finishing options, these systems are built to satisfy the most demanding corporate offices.
Want 2-sided printing capability?
Get the MS811dn or MS812dn.
Need productivity solutions?
Get the MS812de.

Powerful productivity that sets the pace.

Stay a step ahead by getting more work done faster. These super-efficient systems can meet your most demanding expectations.

Faster processing: Improve your print speeds by taking advantage of up to 2.56 GB of memory, an 800 MHz dualcore processor and Gigabit Ethernet.





Multiple media



function





Reliable high performance: Print up to 75,000 pages per month with the MS811 Series or 100,000 pages per month with the MS812 Series. Plus, enjoy fewer maintenance hassles with our state-of-the-art paper handling.

Keep jobs moving: With a maximum input capacity of up to 4,400 sheets and an extra high yield toner cartridge, you won't have to add paper or change cartridges as often.

Spend less time waiting: Print from 63 to 70 pages per minute, and produce your first page in as little as 4 seconds.

Look professional. Work smarter.

The MS811 and MS812 Series produce documents that are presentation ready, automatically finishing the pages based on your preferences. Our easy-to-use control panel makes it simple.

Easy-to-use displays: The bright 2.4-inch color display lets you stay on top of your work. Need more control and productivity solutions? Get the MS812de with the 7-inch color touch screen.

Finishing that adds polish: Produce projects like a pro with automated collating, stapling and other finishing features.

Print on a wide range of media: With builtin 2-sided printing⁷ and the ability to print on diverse materials, you can do more for your business and use less paper.

Innovative toner optimizes performance: Get greater system performance with Lexmark's UnisonTM Toner, which delivers consistent quality from first print to last

Intelligent workflow. Secure design.

Our advanced system simplifies your work processes and increases productivity. Innovative security capabilities provide maximum protection for your critical business data.

Print anytime and anywhere⁸: With this system, you can print from desktops as well as mobile devices that can run applications.

Enjoy enterprise-level security: Now you can authenticate, authorize and audit employee usage. Plus, you can protect sensitive data using standard network security protocols, data encryption and disk wiping capabilities.

Identify potential risks: Track more than 100 variables and events, including user activity, with Audit Logging. It's designed to work with your intrusion detection system in real time.

Optional productivity solutions: Want to empower your business with workflow solutions that can print on demand, automate tasks and more? Get the solutions-capable MS812de.
















mailbox

500-sheet output expander

multifunction option



Product specifications	Lexmark MS811dn	Lexmark MS812dn	Lexmark MS812de
Printing			
Display	2.4-inch (6 cm) color LCD display		Lexmark e-Task 7-inch (17.8 cm) color touch screen
Print speed: Up to ⁴	Black: 63 ppm	Black: 66 ppm	
Time to first page: As fast as	Black: 4.4 seconds	Black: 4.0 seconds	
Print resolution	Black: 600 x 600 dpi, 2400 Image Quality, 1200 x 1200 dpi, 1200 Image Quality		
Memory / processor	Standard: 512 MB / Maximum: 2560 MB / Dual Core, 800 MHz		
Hard disk	Option available		
Recommended monthly page volume ²	5000 - 75000 pages	5000 - 100000 pages	
Maximum monthly duty cycle: Up to ³	300000 pages per month	350000 pages per month	
Supplies⁵			
Laser cartridge yields ¹	45,000-page Extra High Yield Cartridge, 25,000-page High Yield Cartridge, 6,000-page Cartridge		
Imaging unit estimated yield: Up to	100000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage		
Cartridge(s) shipping with product ¹	10,000-page Starter Return Program Toner Cartridge		
Paper handling			
Included paper handling	Integrated duplex, 550-sheet output bin, 100-sheet multipurpose feeder, 550-sheet input		
Optional paper handling	Output expander, high capacity output expander, staple punch finisher, staple finisher, 4-bin mailbox, 550-sheet lockable tray, 250-sheet lockable tray, 250-sheet tray, 250-sheet tray		
Paper input capacity: Up to	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 4400 pages 20 lb or 75 gsm bond		
Paper output capacity: Up to	Standard: 550 pages 20 lb or 75 gsm bond / Maximum: 2550 pages 20 lb or 75 gsm bond		
Media types supported	Refer to the Card Stock & Label Guide., Transparencies, Plain Paper, Paper Labels, Integrated Labels, Envelopes, Dual Web Labels, Card Stock		
Media sizes supported	A6, Oficio, Universal, Statement, Letter, Legal, JIS-B5, Folio, Executive, DL Envelope, C5 Envelope, B5 Envelope, A5, A4, 9 Envelope, 7 3/4 Envelope, 10 Envelope		
General information ⁶			
Standard ports	Front USB 2.0 Specification Hi-Speed Certified Pc 2.0 Specification Hi-Speed Certified	ort (Type A), Gigabit Ethernet (10/100/1000), USB ed (Type B), One Internal Card Slot	Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), Front USB 2.0 Specification Hi-Speed Certified Port (Type A), Gigabit Ethernet (10/100/1000), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot
Optional network ports / optional local ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial		
Noise level, operating	Print: 57 dBA Print: 58 dBA		
Specified operating environment	Altitude: 0 - 2896 Meters (9,500 Feet), Humidity: 8 to 80% Relative Humidity, Temperature: 16 to 32°C (60 to 90°F)		
Limited warranty - see statement of limited warranty	1-Year Exchange Service, Next Business Day		
Size (in - H x W x D) / weight (lb.)	16.7 x 20.1	in / 52.21 lb	16.7 x 20.1 in / 52.9 lb

© 2015 Lexmark and the Lexmark logo are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark.

AirPrint and the AirPrint logo are trademarks of Apple Inc.







Average standard page yield value declared in accordance with ISO/IEC 19752. 2"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product Average standard page yield value declared in accordance with ISO/IEC 19752. *Recommended Monthly Page volume* is a range of pages that neigh customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. *Individual work in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs. *Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds. *Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/regions for more details. Printers are sold subject to certain license/agreement conditions. See www.lexmark.com/printerlicense for details Duplex (2-sided printing) models are ENERGY STAR compliant. For more information on Lexmark Mobile Solutions see: lexmark.com/mobile